

Comp Door Minimum and Maximum Sheet

This section is to provide the minimum and maximum sizes for each individual door style. The first section is to show the minimum and maximum width for our door styles. At Comp Door, we have 2 minimum widths and 1 maximum width set up. Which enables us to cut the doors down to size within the relevant parameters. The two minimum widths setup are:

- 863mm including the outer frame measurement (**740mm slab width**)
- 723mm including the outer frame measurement (**600mm slab width**)

The one maximum width is:

- 1033mm including the outer frame measurement (**910mm slab width**)



863mm Frame Width (740mm Slab Width)
Whitmore
Elmhurst
Highbury
Middleton 2, 4
Winslow 1, 3
Buxton
Grafton
Aston
Walcot
Harlington
Axwell
Hatton
Fife
Clifton
Sussex
Sutherland
Kent
Westminster
Wellington
Bedford
Cambridge

723mm Frame Width (600mm Slab Width)
Brampton
Cornwall
Richmond
Somerset
Mowbray
Abercorn
Montrose
York
Rutland
Hamilton
Norfolk
Gloucester

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Whitmore/Elmhurst/Highbury

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Middleton 2, 4 & Solid

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Winslow 1, 3 & Solid

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Buxton

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Grafton

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Aston

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Walcot

Minimum Width
including the
Outer Frame is
863mm

Maximum
Width Including
the Outer Frame
is 1033mm

Maximum Slab
Width is 910mm



Minimum Slab Width is 740mm

Key

● Slab Width

● Frame Width

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Harlington



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Axwell



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Hatton



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Fife



Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Clifton



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Sussex



Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Sutherland



Key

Slab Width

Frame Width

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

Minimum Slab Width is 740mm

863mm Frame Width Minimum (740mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Kent

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Westminster

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Wellington

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Bedford

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Cambridge

Minimum Width including the Outer Frame is 863mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 740mm

Key

Slab Width

Frame Width

723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

Brampton



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Cornwall



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Richmond



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Somerset



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Mowbray



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Abercorn



Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Montrose




Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm

Minimum Slab Width is 600mm

Key



723mm Frame Width Minimum (600mm Slab Width), 1033mm Frame Width Maximum (910mm Slab Width)

York

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Rutland

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Hamilton

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Norfolk

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Gloucester

Minimum Width including the Outer Frame is 723mm

Maximum Width including the Outer Frame is 1033mm

Maximum Slab Width is 910mm



Minimum Slab Width is 600mm

Key



Slab Width



Frame Width

Minimum and Maximum Heights

The second section shows the Minimum and the Maximum Height for each individual door style. There are a few variations to the Minimum and Maximum height, and they depend on the specification of the door. For example, the threshold options will alter the minimum and maximum height as well as if a cill is needed also.

The Minimum Heights are as follows:

- Minimum Height with a Standard PVC Threshold is 1973mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 2003mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**
- Minimum Height with an Aluminium Threshold is 1931mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 1961mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**
- Minimum Height with a Low PVC Threshold is 1943mm no Cill. If a Cill is required, then the minimum height would be increased by 30mm to 1973mm. This is due to the upstand of the door cill being 30mm. **(Minimum Slab Height is 1850mm)**

The Maximum Heights are as follows:

- Maximum Height with a Standard PVC Threshold is 2183mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2213mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab Height is 2060mm)**
- Maximum Height with an Aluminium Threshold is 2141mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2171mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab Height is 2060mm)**
- Maximum Height with a Low PVC Threshold is 2153mm no Cill. If a Cill is required, then the maximum height would be increased by 30mm to 2183mm. This is due to the upstand of the door cill being 30mm. **(Maximum Slab Height is 2060mm)**

CompDoor Specification	Minimum Height	Maximum Height
Standard PVC Threshold- No Cill	1973mm	2183mm
Standard PVC Threshold- With a Cill	2003mm	2213mm
Aluminium Threshold- No Cill	1931mm	2141mm
Aluminium Threshold- With a Cill	1961mm	2171mm
Low PVC Threshold- No Cill	1943mm	2153mm
Low PVC Threshold- With a Cill	1973mm	2183mm

Minimum & Maximum Height- Including Slab Height



Whitmore/Elmhurst/Highbury

Middleton 2, 4 & Solid

Winslow 1, 3 & Solid

Buxton

Aston

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Whitmore	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Elmhurst	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Highbury	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Middleton 2, 4 & Solid	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Winslow 1, 3 & Solid	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Buxton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Aston	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Grafton



Walcot



Harlington



Axwell



Hatton

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Grafton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Walcot	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Harlington	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Axwell	2073mm	2183mm	2031mm	2141mm	2043mm	2153mm	1950mm	2060mm
Hatton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Fife



Clifton



Sussex



Sutherland



Kent

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Fife	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Clifton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Sussex	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Sutherland	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Kent	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Westminster



Wellington



Bedford



Cambridge



Brampton

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Westminster	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Wellington	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Bedford	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Cambridge	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Brampton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Cornwall



Richmond



Somerset



Mowbray



Abercorn

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Cornwall	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Richmond	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Somerset	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Mowbray	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Abercorn	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”



Montrose

York

Rutland

Hamilton

Norfolk/Gloucester

Door Style	Min Height STD PVC	Max Height STD PVC	Min Height Ali Thres.	Max Height Ali Thres.	Min Height Low PVC	Max Height Low PVC	Min Slab Height	Max Slab Height
Montrose	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
York	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Rutland	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Hamilton	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Norfolk	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm
Gloucester	1973mm	2183mm	1931mm	2141mm	1943mm	2153mm	1850mm	2060mm

“Please note if a cill is required this will increase the minimum/maximum height by 30mm. For example- Minimum height STD PVC with a cill is 2003mm”