



Construction Products Regulation Declaration of Performance

No. 001-2024

- 1: Intended Use: **Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage resistance**
- 2: Manufacturer: **Compdoor Ltd, London Road, Chesterton, Newcastle Under Lyme, ST5 7PL**
- 3: Product **Compdoor Timber Core Composite Door**
- 4: Authorised representative: **Not applicable**
- 5: Assessment and verification of constancy of performance: **System 3**
- 6: Relevant harmonised standard: **EN 14351-1:2006 + A2:2016**
- 7: European Technical Assessment: **Not applicable**
- 8: Declared performance:

| <u>Essential Requirement</u> | <u>Declared Performance</u> | <u>Harmonised Standard</u> |
|--|--|------------------------------|
| Watertightness | 3A (ERA Test Report 2379) | EN 14351-1:2006 + A2:2016 |
| Dangerous Substances | None | |
| Resistance to wind load <ul style="list-style-type: none">• Test Pressure | A3 (ERA Test Report 2379) | |
| Load bearing capacity of safety devices | Not applicable | |
| Ability to release | Pass | |
| Height and width | ≤ 1033, ≤ 2213mm | |
| Acoustic performance | NPD | |
| Thermal Transmittance | 1.4 W/m ² K (Buildcheck) (Report No: U21605) | |
| Radiation properties: <ul style="list-style-type: none">• Solar gain• Light transmittance | NPD NPD | |
| Air permeability: | Class 2 (ERA Test Report 2379) | |
| Special Technical Documentation | Not applicable | |

- 9: The performance of the product identified in points 1 and 3 is in conformity with the declared performance in point 8
This Declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2

Signed for and on behalf of Compdoor by:

Pierre Mifsud (Managing Director)

4th Jan 2024