

The Ultimate  
Doors and Windows



# The Ultimate Range

Bifolding Doors	Page 4 - 7
Entrance Doors and Aluminium Panels	Page 8 - 9
French Doors	Page 10 - 11
Sliding Doors	Page 14 - 17
SLIM25 Sliding Doors	Page 18 - 21
PVC Sliding Doors	Page 22 - 25
Bifold and Sliding Windows	Page 26 - 27



All images are for illustrative purposes only



# The Ultimate

## EVO Aluminium Bifolding Doors

The Ultimate EVO Aluminium Bifolding Doors offer exceptional performance and is the product of cutting-edge British hardware innovation.

Hardware is a crucial element in bifold door design, determining not only how secure your new door will be, but also how easy it is to use. In short, it's hardware that does the hard work.

We have looked at each and every aspect, the function of every individual hardware component used in the Ultimate EVO's fabrication. We have designed door rollers, hinges, gears and running tracks from the ground up, to optimise the performance of each.

Manufactured in the UK using the best materials and to the highest standards, it means that the Ultimate EVO delivers effortless operation, enhanced security, and exceptional weather sealing.


Combined with a slim aluminium profile, the core integrity of our hardware means that we can also offer incredible design flexibility, accommodating heavier individual sash weights and openings of up to 8400mm.





## Choose your configuration

With inward and outward opening options, the Ultimate EVO offers exceptional design flexibility with 32 different configurations and up to a maximum seven individual sashes.




3-1-2

- 3 - The total number of sashes
- 1 - The number of sashes opening to the left
- 2 - The number of sashes opening to the right


Reverse configurations also available, eg. 3-2-1 and 3-1-2




## Externally Viewed



3-3-0



3-2-1




4-3-1


- Internal and External Entrance Door Handle Position Lever / Lever with 3\* cylinder and keys
- ┆ Shootbolt Handle Position Internal Handle/s without cylinder and keys

### NEW


Both main entrance and secondary doors now have lever/lever or optional lever/lever with split escutcheon on the following configurations: 4-3-1 (4-1-3), 6-5-1 (6-1-5), and 6-3-3




5-5-0




5-4-1




5-3-2




6-5-1




6-3-3




7-4-3



7-5-2




7-6-1



7-7-0


## Choose your threshold and cill




Standard Threshold  
Weather Rated  
(with cill)




Internal Low  
Threshold



Internal Low  
Threshold  
with Rebate




Internal Low  
Threshold with  
Rebate & Ramp



Integrated  
Threshold with  
150mm Cill

Cill options: 90mm Stub / 150mm / 190mm

## Choose your colour



Traffic White



Anthracite  
Grey



Anthracite  
Grey on  
Traffic White



Jet Black



Jet Black  
on  
Traffic White



From over 200  
Special Colours  
Single or Dual

## Choose your hardware colour

Lever / Lever Handles



White

Grey

Black

Chrome

Satin

Lever / Lever with Split Escutcheon



Brushed Satin Silver  
(Choose from White,  
Grey or Black  
shootbolt handle)

## Features and additional options

Shootbolt Handle



Shootbolt Handle with cylinder



Internal only Shootbolt Handle  
with cylinder comes with a  
1\* half cylinder.

Internal and External Shootbolt  
Handles with cylinder comes  
with a 3\* cylinder.

Trickle Vents




Choose either trickle vents within  
the door (pictured left) or within  
a 38mm add-on on the top of  
the frame.

## Non Document Q or PAS24 Compliant


Reverse configurations also available, eg. 2-2-0 and 2-0-2

\*No external access as standard for these configurations. Handles displayed are internally positioned.


Internal shootbolt locking with cylinder and internal / external shootbolt locking with cylinder options are available - these options DO NOT comply with Document Q / PAS24




2-2-0\*




4-4-0\*



4-2-2\*



6-6-0\*



6-4-2\*

# The Ultimate

## EVO Aluminium Entrance Doors

The Ultimate EVO Aluminium Entrance Door originates from our bifold door system. The same EVO slim sash and frame create these secure and contemporary residential doors.

The single entrance door can be up to 1200mm wide and 3000mm tall, and is able to house either double or triple glazing.

Complement your entrance door with either clear or textured glass, or from the 25 panel designs below. Choose a sleek smooth finish, a traditional groove or from our assortment of satin glass and stainless steel trim options. Whichever style appeals to you, an Ultimate EVO Aluminium Entrance Door will be an impressive statement to your home.

### Choose your threshold and cill

See options on page 7.

### Choose your colour



Traffic White    Anthracite Grey    Anthracite Grey on Traffic White



Jet Black    Jet Black on Traffic White



From over 200 Special Colours Single or Dual



### Choose your panel design



Arran    Barra    Bryher    Carvey    Coll    Fetler Horizontal    Fetler Vertical    Hayling    Hoy    Islay



Jura    Lismore    Lundy    Orkney    Rum    Sanday    Scalpay    Shetland    Skye    Stronsay    Tresco    Ulva    Walney    Westray    Wight

### Choose your hardware colour

Lever / Lever Handles



White    Grey    Black

Lever / Lever with Split Escutcheon



Brushed Satin Silver





The Ultimate Door Panels use 1.5mm aluminium sheets, that is nearly double the amount used by many of the UK's leading aluminium panel suppliers!

The polyfoam laminating insulation is a rigid extruded polystyrene board, is lightweight, has excellent structural strength and is resistant to moisture absorption.

The Ultimate Aluminium Panel contains a 4.5mm fibre cement board. This fire-resistant sheathing board is extremely durable, improves product security, is impact-resistant, repels rot and fungus and will withstand extreme climates. No timber or MDF are used within the Ultimate Aluminium Panels Doors.

The enclosed edges situated on all sides of the panel (grooved panels do not have enclosed edges due to the nature of the manufacturing process), increases the panels stability and provides additional ease at installation when 'toe and heeling' the 28mm panel.

# The Ultimate

## EVO Aluminium French Doors


The Ultimate EVO Aluminium French Doors originates from our bifold door system. The same EVO slim sash and frame create these secure and contemporary residential doors.

The double entrance doors can be up to 2400mm wide and 3000mm tall, and is able to house either double or triple glazing.

The cutting-edge aluminium system delivers a contemporary design which provides practical access to your home. These double doors also allow you to develop a consistent style throughout your property when using multiple door options within the EVO suite.



### Choose your colour



Traffic White    Anthracite Grey    Anthracite Grey on Traffic White



Jet Black    Jet Black on Traffic White    From over 200 Special Colours Single or Dual

### Choose your threshold, cill and Trickle Vents.

See options on page 7.

### Choose your hardware colour

Lever / Lever Handles



White    Grey    Black    Chrome    Satin



### Optional aluminium panels

See range on page 8.


Lever / Lever with Split Escutcheon



Brushed Satin Silver



# Enjoy every season with the Ultimate Doors





# The Ultimate

## EVO Aluminium Sliding Doors

Enjoy smooth operation, lasting quality and a brighter, more spacious home with the Ultimate EVO Aluminium Sliding Doors.

The Ultimate EVO Sliding Doors deliver the best in modern styling and contemporary flair. Premium patio doors with slim flat sightlines, that effortlessly glide along its robust stainless steel rails.

Energy efficiency in buildings is a demand made by architects and homeowners. Both being aware of the importance of a homes environmental footprint. The Ultimate EVO meets such challenges with all the latest technological developments necessary to ensure your home remains comfortable whilst aesthetically pleasing.

The Ultimate EVO Sliding Doors are ideal for both replacement and new projects. The slim lines, low threshold, graceful operation and modern appearance, makes these sliders suitable for any home that desires a practical door system.

If having an uninterrupted view is important, then the Ultimate EVO Sliding Doors could be the best option.






## Choose your configuration

With internal or external sliding doors, the Ultimate EVO offers multiple configurations to suit your homes style and access points.


### Double Track



OX

XO


XX



OXXO


XXXX

### Triple Track




OXX


XXO




XXX




OOXOO



OXXXXO



XXXXXX



Trickle vent/s within a 38mm add-on on top of the frame.




## Choose your cill

Cill options: 180mm / 230mm / Triple Track 250mm

## Choose your colour



Traffic White   Anthracite Grey   Anthracite Grey on Traffic White



Jet Black   Jet Black on Traffic White   From over 200 Special Colours Single or Dual

## Choose your hardware

Standard Manilla Offset Handles and Escutcheon



White   Grey   Black   Dark Silver

Blu Premium Stainless Steel Pull Bars and Escutcheon



Choose either Satin or Matt Black



# The Ultimate

## SLIM25 Aluminium Sliding Doors

The Ultimate SLIM25 Aluminium slider is not only a visually stunning addition to your home, it can also add huge value to the property.

Excellent thermal performance and strong, super-slim profile sections to minimise the visible framework are key to the aluminium sliding door's design.

Engineering-grade hardware allows for silky smooth opening and closing operation. Designed with bottom rails of 42mm and 34mm wide, the slider provides stunning unobstructed views.

What's more, all our doors are rigorously tested to European safety standards and powder coated to Qualicoat's specifications, for complete peace of mind.

The Ultimate SLIM25 Sliding Doors perfectly frame and enhance an outdoor view while creating a light and bright indoor space in your home. Transform an entire wall into a glass door, with the added freedom of accessibility, creating a seamless connection between the indoors and outdoors.

The system is designed for large opening sizes, with market-leading sash sizes achievable of up to 2.5m x 2.7m per pane. With interlocking of just 25mm, these super-slim sliders allow for maximum views, excellent thermal performance, noise reduction, high security, and weatherproofing.

Designed for large spaces, double and triple track options are available, allowing for a variety of opening configurations.







## Choose your configuration

The Ultimate SLIM25 luxurious sliding doors offers multiple configurations to suit your homes style and access points.


### Double Track




OX



XO




XX




OXXO




### Triple Track




OXX




XXO



XXX



OOXOO



OXXXXO


## Choose your cill

Cill options: 190mm / 230mm

## Choose your colour



Traffic White   Anthracite Grey   Anthracite Grey on Traffic White



Jet Black   Jet Black on Traffic White   From over 200 Special Colours Single or Dual

## Choose your hardware colour

Choose either Satin or Matt Black



Flush Trickle vent/s within sash (as above) or standard within a 35mm add-on on top of the frame.



# The Ultimate PVC Sliding Doors

The Ultimate PVC Sliding Doors deliver supreme thermal performance, highly secure locking mechanism options, and slim sightlines to allow maximum natural light indoors.

Available in two, three and four pane options, the Ultimate Inline Sliding Door delivers exceptional performance. Each offering provides smooth operation, quiet running and durable performance. With a choice of designs and guaranteed high-quality performance, they bring you the space, comfort and low-maintenance luxury of modern living. Imagine wide open spaces allowing air and light to flood into your home, instantly creating a contemporary look and feel.

The Ultimate PVC Sliding Doors help to maintain a year-round comfortable, ambient temperature in your home, whilst providing style and security.

In addition to classical white, you can choose from our Renolit laminate colour options that are applied to the outside (white inside) or both sides. The Ultimate PVC Sliding Doors offer a wide range of colours to suit every home perfectly.

Choosing the right patio door is vitally important. You want a design that will blend easily into your existing building whilst still making a strong visual statement. The Ultimate PVC Sliding Doors provides all this and more.






## Choose your configuration


The Ultimate PVC sliding doors offers multiple configurations to suit your homes style and access points.

### Double Track




OX


XO



OXO L



OXO R




OXOX



## Choose your cill

Cill options: Stub / 150mm / 180mm / 225mm

## Choose your colour



White

Anthracite  
Grey

Anthracite  
Grey  
on White

Chartwell  
Green

Chartwell  
Green  
on White



Golden  
Oak

Golden  
Oak  
on White

Rosewood

Rosewood  
on White

Cream

Cream  
on White

Irish Oak

Irish Oak  
on White

Black/Brown

Black/Brown  
on White

## Choose your hardware colour



White

Grey

Black

Chrome

Satin

Gold



From over 200  
Special Colours  
Single or Dual





## Looking for a window with a difference?


### How about an Ultimate Aluminium EVO bifold or Sliding Window?



The Ultimate Aluminium EVO bifold Window is available in 32 configurations, with 2 - 7 doors and in over 200+ single or dual colours. Internal shootbolt locking as standard with the option for external shootbolt handle/s and locking. See page 7.

Sashes from 600mm - 1200mm wide and 800mm - 1800mm high.  
Available as open in or open out.

Externally Viewed




All configurations on pages 6 and 7 are available with shootbolt locking. Lever / Lever handles are not an option with bifold windows.




The Ultimate Aluminium EVO Sliding Window is available in 6 configurations and in over 200+ single or dual colours.

Sashes from 600mm - 2000mm wide and 600mm - 1800mm high.



Available configurations for sliding windows are OX / XO / XX / OXX / XXO / XXX with either Manilla or Blu Bar handle options. See page 17.



**The Ultimate aluminium doors and windows provide a seamless connection between your homes indoor and outdoor space. Connecting you with the outside all year-round, whatever the weather!**



MIX  
Paper from  
responsible sources  
FSC® C014866

OCT24

